

INDEX MAPS.

T. 7 N. R. 9 E. 2nd Mer.

	75	75	75	74	74	74	
	76	76	76	76	76	77	
79	6	100	5	100	4	91	3
	90	2	86	1	73		
79	7	99	8	94	9	89	10
	86	11	85	12	73		
78	18	98	17	93	16	87	15
	84	14	84	13	73		
78	19	97	20	93	21	88	22
	83	23	81	24	72		
77	30	96	29	92	28	87	27
	82	26	80	25	72		
77	31	95	32	91	33	87	34
	81	35	80	36	71		
	70	69	70	70	71	71	

T. 8 N. R. 9 E. 2nd Mer.

	110	109	109	109	108	108	
	134	133	131	130	120	119	117
112	6	134	5	131	4	130	3
	118	2	118	1	107		
112	7	133	8	131	9	125	10
	119	11	117	12	107		
111	18	132	17	125	16	124	15
	118	14	116	13	107		
111	19	128	20	123	21	121	22
	116	23	114	24	106		
110	30	127	29	123	28	121	27
	115	26	113	25	106		
110	31	126	32	122	33	120	34
	114	35	112	36	105		
	104	104	103	103	103	103	103

The figures on the lines refer to the page.

Township N. 7 North, Range E. 9 East, 2. Mer. Indiana ⁶⁹
ch. 1/2

South Boundary

Random line - Course S 89.20' W

Met On S. boundary of Sec. 36, T. 7 N. R. 9 E.

36.45 a Brook 5 lks. wide Course S. W.

40.00 Set temp. q. Sec. post

62.80 a Brook 5 lks. wide Course S. W.

79.00 bend of a Brook 12 lks. wide run with the line
on South side

80.00 Set temp. Cor. to Sec. 35 & 36

Sand waving, timber Beech, Sugar, Oak &c.

Met On S. boundary of Sec. 35

4.80 a Brook 15 lks. wide Course N. W.

26.30 a Do. 6 " " " " N. W.

40.00 Set temp. q. Sec. post

80.00 Set temp. Cor. to Sec. 34 & 35

Sand broken, Beech, Sugar, Oak, Poplar &c

Met On S. boundary of Sec. 34

8.45 a Brook 5 lks. wide Course N.

15.65 a Do. 5 " " " " N.

26.00 a Do. 10 " " " " N.

40.00 Set temp. q. Sec. post

71.25 a Brook 6 lks. wide Course N. W.

80.00 Set temp. Cor. to Sec. 33 & 34

Sand timber &c. Same as on last mile

Met On S. boundary of Sec. 33

22.30 a Brook 10 lks. wide Course N.

40.00 Set temp. q. Sec. post, on the bank of a creek
100 lks. wide run S. W.

68.30 a Brook 20 lks. wide wide Course S. W.

80.00 Set temp. Corner to Sec. 32 & 33

Sand timber &c. Same as on last mile

Met On S. boundary of Sec. 32

T^y N⁹ E. 2^d. Mer. Indiana

ch. P. Lk.

13.62 a Brook 8 Lk. wide Course S.

40.00 Set temp. q. Sec. post

65.42 a Brook 15 Lk. wide Course S. W.

80.00 Set temp. q. Sec. post Cor. to Sec. 31 & 32

Land waving, timber Beech, Oak, Poplar
Aichony &c.

West On S. boundary of Sec. 31

34.00 a Brook 20 Lk. wide Course S. W.

37.60 a Do. 12 " " " S. E.

40.00 Set temp. q. Sec. post

72.22 Set 38 Lk. South of Corner.

Land broken, timber Beech, Oak, Poplar
Aichony &c.

True Line.

East On S. boundary of Sec. 31

32.22 Set q. Sec. post, from which

a Beech 20 in. dist. by N 73 E 29 Lk. dist. of

a Dogw. 5 " " " N 45 W 12 " "

72.22 Set post Cor. to Sec. 31 & 32, from which

a Beech 20 in. dist. by N 88 E 32 Lk. dist. of

a Do. 16 " " " N 82 W 25 " "

East On S. boundary of Sec. 32

40.00 Set q. Sec. post, from which

a Beech 14 in. dist. by N 21 E 18 Lk. dist. of

a P. Oak 5 " " " N 13 W 27 " "

80.00 Set post Cor. to Sec. 32 & 33, from which

a Poplar 8 in. dist. by N 63 E 6 Lk. dist. of

a Do. 5 " " " N 72 W 6 " "

East On S. boundary of Sec. 33

40.00 Set q. Sec. post, from which (in the edge of a brook)

an Elm 10 in. dist. by N 11 E 30 Lk. dist. of

a Dogw. 8 " " " N 80 E 29 " "

71
T^yN-129E. 2nd Mer. Indiana
ch. 2nd 1st
80.00 At post Cor. to Sec. 33 of 34 from which
a Beech 34 in. dia. bray N 82 E 16 lks. dist. of
a do. 7 " " " N 70 W 20 " "

East On S. boundary of Sec. 34
40.00 At gr. Sec. post, from which
a Beech 10 in. dia. bray N 68 E 3 lks. dist. of
a Sugar 10 " " " S 32 W 33 " "
80.00 At post Cor. to Sec. 34 of 35, from which
a Beech 36 in. dia. bray N 7 E 25 lks. dist. of
a Sugar 8 " " " S 38 E 15 " "

East On S. boundary of Sec. 35
16.23 a Maple 36 in. dia.
40.00 At gr. Sec. post, from which
a Beech 26 in. dia. bray N 12 W 11 lks. dist. of
a do. 24 " " " S 5 E 24 " "
61.48 a Beech 20 " "
80.00 At post Cor. to Sec. 35 of 36, from which
a Beech 11 in. dia. bray N 84 E 10 lks. dist. of
a do. 30 " " " S 87 W 29 " "

East On S. boundary of Sec. 36
40.00 At gr. Sec. post, from which
a Hickory 8 in. dia. bray N 63 E 2 lks. dist. of
a Beech 6 " " " S 21 E 9 " "
42.20 a Poplar 30 " "
57.58 a do. 48 " "
77.10 a Beech 22 in. dia.
80.00 to the Township Corner.
November 16th. 1806

East Boundary
November 29th. 1806. var. 5.30' E.
North On E. boundary of Sec. 36
1.73 a Poplar 60 in. dia.

72

T^yN R9E 2^d Mer. Indiana

ch. lth.

40.00 Set of Sec. post, from which
at Beech 17 m. dist. by N 73 E 24 lth. dist. of
a Maple 20 " " " N 40 W 18 " "

61.85 a Beech 16 " "

74.55 a Brook 6 lth. wide Course N.W.

80.00 Set post Cor. to Sec. 25 of 36, from which
at Beech 9 m. dist. by N 11 E 9 lth. dist. of
a Sugar 10 " " " S 21 E 7 " "
Land level, timber Beech Sugar, Oak,
Poplar &c.

North On E. boundary of Sec. 25

13.85 a Brook 6 lth. wide Course N.W.

32.03 a Beech 13 m. dist.

35.75 a Brook 6 lth. wide Course N.

40.00 Set of Sec. post, from which
at Beech 6 m. dist. by N 46 E 1 lth. dist. of
a Do. 13 " " " S 77 W 22 " "

63.25 a Brook 10 lth. wide Course N.W.

70.75 a creek 70 lth. wide Cr. S.W. head, N.W. line Cross at end

80.00 Set post Cor. to Sec. 24 of 25, from which
at Hickory 11 m. dist. by N 15 E 17 lth. dist. of
a Beech 18 " " " N 40 E 15 " "
First half hill - last level timber Beech
Oak, Poplar, Hickory &c.

North On E. boundary of Sec. 24

18.77 a Poplar 14 m. dist.

23.50 a creek 70 lth. wide Course W.

40.00 Set of Sec. post, from which
at Beech 7 m. dist. by N 31 W 17 lth. dist. of
a Do. 9 " " " S 62 E 27 " "

80.00 Set post Cor. to Sec. 13 of 24, from which
a Maple 10 m. dist. by S 30 W 6 lth. dist. of
a Beech 7 " " " S 54 E 4 " "
First 1/2 mile level - rest level timber Beech,

S. N. R. G. E. 2nd Mer. Indiana 73
ch. l. l. l.
Oak, Ash, Hickory &c.

North On E. boundary of Sec. 13

4.31 a Beech 24 in. dia.

22.05 a P. Gum 24 " "

40.00 Set of Sec. post, from which
a Beech 11 in. dia. bray N60W17 l. l. dist. of
a do. 13 " " " N14W17 " "

76.00 a Brook 5 l. l. wide Course W.

78.94 a Poplar 18 in. dia.

80.00 Set post Cor to Sec. 12 of 13, from which
a Beech 12 in. dia. bray S34E13 l. l. dist. of
a do. 8 " " " N34W10 " "
Sand flat, timber Beech, Poplar, Gum, Oak
Hickory &c.

North On E. boundary of Sec. 12

16.42 a Beech 24 in. dia.

40.00 Set of Sec. post, from which
a Poplar 12 in. dia. bray N10E20 l. l. dist. of
a Beech 7 " " " S34E24 " "

55.00 a Poplar 24 " "

80.00 Set post Cor to Sec. 13 of 12, from which
a Beech 15 in. dia. bray N30W6 l. l. dist. of
a do. 6 " " " N18E18 " "
Sand waving, timber Beech, Poplar, Oak
Gum &c.

North On E. boundary of Sec. 1

16.00 a Brook 15 l. l. wide Course W.

21.09 a Beech 24 in. dia.

28.70 a Brook 15 " "

40.00 Set of Sec. post, from which
a Beech 9 in. dia. bray N52E9 l. l. dist. of
a do. 5 " " " S79W13 " "

41.14 a Beech 30 " "

74 T^h N. R^g E. 2nd. Mer. Indiana

ch^lky

43.47 a Beech 30 in. dia.

59.45 a Brook 4 lks. wide Course S. E.

62.75 a Poplar 42 in. dia.

80.00 At post Cor. to Township 7 & 8 North,
Range 9 of 10 East, from which
a Poplar 48 in. dia. bears N 33 E 31 lks. dist^y
a Beech 30 " " " S 37 W 15 " "
Land waving, timber Beech, Poplar, Oak
&c. December 4th 1806

North Boundary

Random Line - Course S 89 1/2 W.

Met On S. boundary of Sec. 36, T^h N. R^g E.

9.55 a Brook 5 lks. wide Course N 80 W

28.35 a Same runs with the line crossing it,

40.00 Let temp^y. q^r. Sec. post ^{Leaves timber}

40.30 leave the above brook runs S 70 W

49.70 a Brook 5 lks. wide Cr. S.

54.97 a Do. 4 " " " S

80.00 Let temp^y. Cor. to Sect. 35 of 36

Land waving, timber Beech, Sugar, Poplar
Oak, Hickory &c.

Met On S. boundary of Sec. 35, T^h N. R^g E

10.00 a Brook 4 lks. wide Cr. N. W.

32.75 a Do. 4 " " " N.

40.00 Let temp^y. q^r. Sec. post

50.20 a Brook 4 lks. wide Cr. N. W.

67.00 a Creek 80 " " " S. W.

80.00 Let temp^y. Cor. to Sect. 34 of 35

Land timber &c. Same as on last mile

Met On S. boundary of Sec. 34, T^h N. R^g E

5.75 a Creek 80 lks. wide Course N. W.

29.00 Same 80 " " " S. W.

39.10 a Brook 6 " " " S.

T⁷N R9E. 2nd Mer. Indiana 15

ch² lks

40.00 Set temp^y. q^r. Sec. post

69.00 a Brook 4 lks. wide Cr. S.

80.00 Set temp^y. Cor. to Sec. 33 & 34

Hilly land, timber Beech, Oak, Poplar, Jug.² &c.

West On S. boundary of Sec. 33, T⁸N. R9E

2.85 a Brook 6 lks. wide Cr. S.

40.00 Set temp^y. q^r. Sec. post

41.44 a Brook 8 lks. wide Cr. S. W.

80.00 Set temp^y. Cor. to Sec. 32 & 33

Land level, timber Beech, Hickory, Sugar
Oak, Poplar &c.

West On S. boundary of Sec. 32, T⁸N. R9E.

4.70 a Brook 8 lks. wide Cr. S. W

18.90 a do 15 " " S.

40.00 Set temp^y. q^r. Sec. post

80.00 Set temp^y. Corner to Sec. 31 & 32

Land flat, timber Beech, Gum, Oak, Poplar
Hickory &c.

West On S. boundary of Sec. 31, T⁸N. R9E.

40.00 Set temp^y. q^r. Sec. post

76.14 Full 130 lks. S. of Corner

Land flat, timber Beech, Maple, Gum
Hickory Oak &c

True Line.

East On S. boundary of Sec. 31, T⁸N. R9E

17.44 a B. Oak 16 in. dia^r.

36.14 a Beech 15 in. dia^r. (Marked for the
quarter Section Cor. from which
a S. Gum 22 in. dia^r. bears N 75° W 10 lks. dist.

54.14 a Beech 16 " "

76.14 Set post Cor. to Sec. 31 & 32, T⁸N. R9E, from which
a Beech 15 in. dia^r. bears S 77° E 9 lks. dist. &

Ty. N 9 E. 2nd Mer. Indiana
 ch. l. l. h. at Beech 16 in. dia. bray N 49 W 11 l. h. dist.

East On S. boundary of Sec. 32, T 8 N. R 9 E.

40.00 Set q. Sec. post, from which
 at Beech 15 in. dia. bray N 36 W 14 l. h. dist.
 a Do. 11 " " " N 46 E 18 " .

79.40 at Beech 30 " " "

80.00 Set post cor. to Sect. 32, 33, T 8 N. R 9 E, from which
 at Beech 10 in. dia. bray N 61 E 14 l. h. dist.
 a Do. 22 " " " N 62 W 26 " .

East On S. boundary of Sec. 33, T 8 N. R 9 E

40.00 Set q. Sec. post, from which
 at Beech 10 in. dia. bray N 53 E 18 l. h. dist.
 a Sugar 7 " " " N 61 E 4 " .

60.00 at Beech 24 " " "

80.00 Set post cor. to Sect. 33, 34, T 8 N. R 9 E, from which
 a Poplar 40 in. dia. bray N 37 W 22 l. h. dist.
 a Beech 10 " " " N 37 E 16 " .
 December 2nd 1886

East On S. boundary of Sec. 34, T 8 N. R 9 E.

40.00 Set post q. Sec. Cor. from which
 a Sugar 9 in. dia. bray N 84 E 24 l. h. dist.
 at Beech 20 " " " N 61 W 17 " "

80.00 Set post cor. to Sect. 34, 35, T 8 N. R 9 E, from which
 at Beech 15 in. dia. bray N 20 E 15 l. h. dist.
 a Do. 18 " " " N 33 W 72 " .

East On S. boundary of Sec. 35, T 8 N. R 9 E

40.00 Set q. Sec. post, from which
 a Beech 24 in. dia. bray N 53 E 12 l. h. dist.
 a Do. 11 " " " N 76 W 24 " "

80.00 Set post cor. to Sect. 35, 36, T 8 N. R 9 E, from which
 a Poplar 42 in. dia. bray N 34 E 3 l. h. dist.
 a Hickory 13 " " " N 34 W 10 " .

Ty N. R 9 E. 2nd Mer. Indiana 77

East On S. boundary of Sec. 36, Ty N. R 9 E
 40.00 At gr. Sec. post, from which
 a Sugar 12 in. dia. bray S 34 E 17 lth. dist. of
 a B. Oak 10 " " " N 36 W 55 " "
 64.95 a Beech 18 " "
 80.00 Co. Town Corner. Dec. 3rd 1806

West Boundary. var 5.30 E
 North On E. boundary of Sec. 36, Ty N. R 8 E
 11.90 a B. Gum 32 in. dia.
 28.08 a B. Oak 36 " "
 40.00 At gr. Sec. post, from which
 a Beech 11 in. dia. bray N 10 E 28 lth. dist. of
 a Do 13 " " " S 29 W 21 " "
 61.27 a B. Gum 15 " "
 80.00 At post cor. to Sec. 25 & 36, Ty N. R 8 E, from which
 a Beech 15 in. dia. bray S 33 W 25 lth. dist. of
 a Do. 20 " " " N 51 E 18 " "
 Land flat timber Beech, Oak, Poplar &c.
 a watercourse 4 lth. wide runs N. W.

North On E. boundary of Sec. 25, Ty N. R 8 E
 9.70 a Brook 6 lth. wide cor. W
 11.00 a Beech 32 in. dia.
 24.38 a Do. 18 " "
 35.75 a Brook 4 lth. wide runs W.
 38.50 a Do 6 " " " W.
 40.00 At gr. Sec. post, from which
 a Beech 18 in. dia. bray S 34 E 18 lth. dist. of
 a Do. 18 " " " N 34 W 20 " "
 49.75 a Poplar 48 " "
 63.30 a Brook 12 lth. wide Course S. W
 80.00 At post cor. to Sec. 24 & 25, Ty N. R 8 E, from which
 a Beech 17 in. dia. bray S 49 E 15 lth. dist. of
 a Do. 10 " " " N 41 W 11 " "
 Land timber &c. same as on last mile

T^yN. N9E. 2^d. Mer. Indiana

- ch. l. l. l. y
 North On E. boundary of Sec. 24, T^yN. N8E
 3.45 a Beech 24 mi. dist.
 8.60 a Brook 5 l. m. wide Cr. W.
 22.50 a Do. 6 " " " S. W.
 40.00 At gr. Sec. post, from which
 a Beech 10 mi. dist. by N 30 W 15 l. m. dist of
 a Sugar 14 " " " N 19 W 19 " "
 47.25 a Creek 100 l. m. wide Cr. S 80 W.
 57.10 a Brook 5 " " " S. E.
 73.52 a Do 4 " " " W
 74.20 a Beech 18 mi. dist.
 80.00 At post cor. to Sec. 13 & 24, T^yN. N8E, from which
 a Beech 40 mi. dist. by N 15 W 12 l. m. dist of
 a Do. 10 " " " S 36 E 16 "
 Land first 30 chains flat - rest waving, timber
 Beech, Sugar, Oak, Poplar &c.

- North On E. boundary of Sec. 13, T^yN. N8E.
 12.40 a Brook 4 l. m. wide Cr. S. W.
 16.53 a Beech 18 mi. dist.
 32.50 a Brook 6 l. m. wide Cr. S. W.
 40.00 At gr. Sec. post, from which
 a Beech 12 mi. dist. by N 79 E 12 l. m. dist of
 a Do. 16 " " " S 66 W 11 " "
 46.66 a Beech 12 " "
 55.79 a Do. 24 " "
 57.75 a Brook 6 l. m. wide Cr. W.
 59.92 a Beech 24 mi. dist.
 70.00 Kibby's Trace from Cincinnati to Vincennes
 73.23 a Brook 6 l. m. wide Cr. W.
 80.00 At post cor. to Sec. 12 & 13, T^yN. N8E, from which
 a Beech 9 mi. dist. by N 87 1/2 W 17 l. m. dist of
 a Do 10 " " " S 85 E 26 " "
 Land level timber Beech, some Poplar
 Oak, Hickory, Sugar &c.

T^y N. R 9 E. 2ⁿ. Mer. Indiana 79

ch^d. lky
 North On E. boundary of Sec. 12, T^y N. R 8 E.
 3.95 at Brook 4th m. wide Cr. W.
 4.13 at B. Gum 24 m. dist.
 29.05 at Beech 16 " "
 33.50 at Brook 8th m. wide runy W.
 40.00 at q^r. Sec. post. from which
 a Beech 24 m. dist. by N 83 E 10th m. dist.
 a do. 10 " " " S 60 W 10 " "
 57.47 at Brook 8th m. wide runy S. W.
 80.00 at post cor. to Sec. 12, T^y N. R 8 E, from which
 a Beech 11 m. dist. by N 5 W 14th m. dist.
 a do. 10 " " " S 1 E 14 " "
 Land level timber Beech, Hickory, Maple
 Oak, Poplar &c.

North On E. boundary of Sec. 1, T^y N. R 8 E.
 15.34 an Elm 16 m. dist.
 31.40 at Brook 6th m. wide runy W.
 34.00 a do 10 " " " W.
 40.00 at q^r. Sec. post. from which
 a Beech 20 m. dist. by N 28 E 17th m. dist.
 a do. 11 " " " N 82 W 25 " "
 44.83 a Beech 16 " "
 48.10 at Brook 10th m. wide runy S. W.
 65.40 a Beech 11 m. dist.
 75.55 a W. Oak 48 " "
 80.00 at post cor. to Township 7 & 8 North, of
 Range 8 & 9 East, from which
 a Beech 30 m. dist. by S 65 W 6th m. dist.
 a do. 14 " " " N 38 E 22 " "
 Land flat, timber Beech, Oak, Hickory
 Maple Gum &c. Dec^r. 1806
 Surveyed By
 John Brownson,
 Deputy Surveyor

Lytle Co. Ind. Mer Indiana
ch. P. 14

Subdivision. Jan. 11th. 1807

North Between Secs. 35 & 36

24.03 a Poplar 30 in. dia.

40.00 Set q. Sec. post, from which
a Beech 9 in. dia. bears S 66 E 19 lks. dist. &
a Do. 12 " " " N 81 W 29 "

80.00 Set post Corner to Secs. 25, 26, 35, & 36, from which
a Beech 18 in. dia. bears N 53 W 17 lks. dist. &
a Do. 18 " " " N 81 E 26 "
Land broken timber Beech Sugar Poplar Ash &c.
poor farming Land -

East On Random between Secs. 25 & 36.

40.00 Set temp. q. Sec. post

80.60 Intersected the E. boundary 95 lks. S. of post
Land and timber as last mile

West Corrected between Secs. 25 & 36

40.30 Set q. Sec. post, at average dist. from which
a Beech 18 in. dia. bears N 78 E 26 lks. dist. &
a Sugar 12 " " " S 80 W 18 "

80.60 to Section Corner

North Between Secs. 25 & 26

20.50 a Brook 10 lks. wide Course West.

22.50 a Beech 7 in. dia.

40.00 Set q. Sec. post, from which
a Beech 14 in. dia. bears S 75 E 27 lks. dist. &
a Do. 40 " " " N 35 W 13 "

64.50 a Creek 100 lks. wide Course W.

65.56 a Sycamore 15 in. dia.

80.00 Set post Cor. to Secs. 23, 24, 25 & 26, from which
a B. Oak 14 in. dia. bears N 1 W 25 lks. dist. &
a Sugar 12 " " " S 31 W 31 "
Land broken and hilly timber Beech Ash Sugar
Hickory Oak Poplar Gum &c. thick Spice

81

T. N. P. C. E. 2^d. Mer Indiana
ch. P. Lk.
 Undergrowth poor farming Land

East On Random between Sect. 24 & 25

40.00 Set temp. q. Sec. post.

66.50 a Creek 100 lvs. wide Course S. 20 E.

80.91 Intersected the E. boundary 94 lvs. N. of post.

Land broken and Hilly Timber same as last mile
 Undergrowth Spice poor farming Land except creek
 bottom.

West Corrected between Sect. 24 & 25

40.45 Set q. Sec. post, at average dist. from which
 a Beech 13 in. dia. bears N 82 E 8 lvs. dist. &
 a Buckeye 8 " " " N 38 W 19 " "

80.91 to Section Corner

North Between Sect. 23 & 24

2.50 a Brook 10 lvs. wide course S. W.

26.55 a W. Ash 7 in. dia.

40.00 Set q. Sec. post, from which
 a Hickory 13 in. dia. bears S 19 E 25 lvs. dist. &
 a W. Oak 18 " " " N 11 W 40 " "

61.86 a Beech 8 " "

80.00 Set post Cor. to Sect. 13, 14, 23 & 24, from which
 a Beech 15 in. dia. bears N 12 E 11 lvs. dist. &

a W. 8 " " " S 35 W 18 " "

Land part broken and part flat timber Beech, Gum,
 Oak Hickory &c. poor farming Land

January 12th 1806.

North Between Sect. 34 & 34

26.48 a Poplar 24 in. dia.

39.50 a Small Spring branch course North

40.00 Set q. Sec. post, from which

a B. Ash 12 in. dia. bears S 69 E 34 lvs. dist. &

a Beech 12 " " " N 59 W 32 " "

T. N. R. G. 2^d Mer. Indiana

ch. 1. 117

47.50 a Creek 100 lks. wide Course N.W.

59.49 a Beech 13 in. dia.

80.00 Set post Cor. to Secs. 26, 27, 34 & 35, from which
an Elm 12 in. dia. bears S 26 E 77 lks. dist. &
a W. Oak 20 " " " N 55 W 96 " "
this post is in a Creek 100 lks. wide Course S.
the first 1/2 mile broken & hilly timber Beech, Sugar,
Poplar &c. poor farming Land the last half mile
rolling timber same good farming Land

East On Random between Secs. 26 & 35.

40.00 Set temp. q. Sec. post

77.38 Intersected the E. boundary 3 lks. N. of post
Land broken timber same poor farming Land.

West Corrected between Secs. 26 & 35

38.69 Set q. Sec. post, at average dist. from which &
a Beech 24 in. dia. bears N 29 W 2 lks. dist. &
a W. Oak 28 " " " S 44 E 18 " "

77.38 to Section Corner

North Between Secs. 26 & 27.

14.00 a small brook Course S.E.

25.84 a Sugar 15 in. dia.

40.00 Set q. Sec. post, from which
a Beech 18 in. dia. bears S 36 W 45 lks. dist. &
a Do. 5 " " " N 9 W 21 " "

67.47 a Poplar 14 " "

80.00 Set post Cor. to Secs. 22, 23, 26 & 27, from which
a Beech 15 in. dia. bears S 66 E 5 lks. dist. &
a Do. 12 " " " N 76 W 16 " "
Land very broken timber same poor farming land

East On Random between Secs. 23 & 26.

40.00 Set temp. q. Sec. post

78.76 Intersected the N. & S. line 58 lks. N. of post

83
S. N. R. G. E. 2^d. Mer. Indiana
ch. l. h.

Land very broken timber same poor farming Land

West Corrected between Sec. 23 & 26

39.38 Set of. Sec. post at average dist. from which
a Beech 15 in. dia. bears East 4 l. h. dist. &
a No. 15 " " " N 46 W 6 " "

78.76 to Section Corner

North Between Sec. 22 & 23.

20.87 a Beech 28 in. dia.

32.50 a Brook 10 l. h. wide Course W.

40.00 Set of. Sec. post, from which
a Beech 9 in. dia. bears S 38 W. 5 l. h. dist. &
a No. 4 " " " S 62 E 4 " "

80.00 Set post Cor. to Sec. 14, 15, 22 & 23, from which
a Beech 6 in. dia. bears S 12 W 35 l. h. dist. &
an Elm 9 " " " N 39 E 10 " "
the first half mile land and timber same the
last level timber Beech Gum Oak Ash Poplar &c.
poor farming Land-

East On Random between Sec. 14 & 23

40.00 Set temp. of. Sec. post

45.00 a Branch 10 l. h. wide Course S. W.

79.88 Intersected the N. & S. line 58 l. h. N. of post.
Land level timber Beech Gum Ash Poplar &c.
undergrowth Spice and green briars middling poor
farming Land-

West Corrected between Sec. 14 & 23

39.94 Set of. Sec. post, at average dist. from which
a Beech 8 in. dia. bears N 9 W 38 l. h. dist. &
a Hick. 10 " " " S 33 E 10 " "

79.88 to Section Corner

East On Random between Sec. 13 & 24

84

Tpt 129 E. 2^d Mer. Indiana

chilly

- 38.00 a small branch course S.W.
 40.00 Set tempy. of. Sec. post
 81.20 Intersected the E. boundary 135 lks. N. of post.
 Land and timber same

- Nest Connected between Secs. 13 & 24
 40.60 Set of. Sec. post. at average dist. from which
 a Sugar 9 in. dia. bears N 87 E 20 lks. dist. &
 a Hick. 7 " " " S 89 W 22 " "
 81.20 to Section Corner

- North Between Secs. 13 & 14
 21.31 a S. Gum 18 in. dia.
 39.50 a small branch course S.W.
 40.00 Set of. Sec. post, from which
 a W. Ash 18 in. dia. bears S 4 W 32 lks. dist. &
 a S. Gum 15 " " " N 1 E 41 " "
 63.89 a Beech 7 " "
 80.00 Set post Cor. to Secs. 11, 12, 13 & 14, from which
 a Beech 12 in. dia. bears S 60 E 8 lks. dist. &
 a S. Gum 24 " " " N 83 W 18 " "
 Land and timber same -

January 14th 1807.

- North Between Secs. 14 & 15.
 40.00 Set of. Sec. post. from which
 a Beech 36 in. dia. bears N 51 E 14 lks. dist. &
 a No. 18 " " " S 81 W 53 " "
 59.04 a Beech 6 " "
 80.00 Set post Cor. to Secs. 10, 11, 14 & 15, from which
 a Beech 30 in. dia. bears S 40 W 13 lks. dist. &
 a No. 24 " " " N 59 E 30 " "
 Land broken timber Beech Ash Sugar Poplar
 &c. undergrowth Spice and green briar poor Land
 for farming -

Sy N Rg E. 2^d Mer. Indiana

85

ch^d. l^y

East On Random between Sec^s. 11 & 14

40.00 Set temp^y. q^y. Sec. post.

80.20 Intersected the N. & S. line 17 l^ys. N. of post
Land level timber Beech Poplar Maple Gum &c.
undergrowth Spice and grape vines green briars &c.
poor farming Land -

West Corrected between Sec^s. 11 & 14

40.10 Set q^y. Sec. post. at average dist. from which
a Beech 12 in. dia. bears N 35 W 6 l^ys. dist. &
a No. 18 " " " East 17 " "

80.20 to Section Corner

East On Random between Sec^s. 12 & 13

28.00 a branch 10 l^ys. wide Course N. W.

40.00 Set temp^y. q^y. Sec. post

81.62 Intersected the E. boundary 70 l^ys. N. of post.
Land level timber Same middling farming Land -

West Corrected between Sec^s. 12 & 13

40.81 Set q^y. Sec. post. at average dist. from which
a Beech 11 in. dia. bears S 54 W 24 l^ys. dist. &
a No. 11 " " " N 66 E 18 " "

81.62 to Section Corner

North Between Sec^s. 11 & 12

23.85 a Beech 14 in. dia.

40.00 Set q^y. Sec. post. from which

a Beech 15 in. dia. bears N 65 E 29 l^ys. dist. &

a No. 14 " " " S 45 W 37 " "

67.39 a Beech 16 " "

80.00 Set post Cor. to Sec^s. 1, 2, 11 & 12, from which

a Sugar 12 in dia. bears N 50 W 16 l^ys. dist. &

a No. 20 " " " S 26 E 45 " "

the first 1/2 mile Land and timber Same

the last half mile Broken timber Sugar-

ch^{ld}ly Sgt - R9E. 2nd Mer. Indiana

Beech Poplar Ash &c. poor farming Land

East On Prandon between Sect. 1 & 12

40.00 Set tempy. qf. Sec. post

81.14 Intersected the E. boundary 21 lks. N. of post.
Land broken timber Beech Ash Sugar Poplar &c.
undergrowth Spice poor farming Land

West Corrected between Sect. 1 & 12

40.57 Set qf. Sec. post. at average dist. from which
a Sugar 7 in. dia. bears S 9 W 28 lks. dist. &
a No. 15 " " " N 21 E 8 " "

81.14 to Section Corner

North Between Sect. 1 & 2

5.00 a Creek 50 lks. wide Course S. W.

21.21 a Sugar 11 in. dia.

40.00 Set qf. Sec. post. from which
a W. Ash 10 in. dia. bears S 17 E 10 lks. dist. &
a Beech 11 " " " N 9 W 24 " "

60.68 a No. 10 " "

79.58 Intersected the N. boundary 14 lks. N. of post
Set post Cor. to Sect. 1 & 12, from which
a Hickory 15 in. dia. bears S 37 E 11 lks. dist. &
a Beech 12 " " " N 2 W 14 " "
the first half mile broken the last level
timber same poor farming Land

North Between Sect. 10 & 11

31.50 a small Spring branch N. W.

36.00 a Creek 50 lks. wide Course S. W.

40.00 Set qf. Sec. post. from which
a Beech 15 in. dia. bears S 15 W 27 lks. dist. &
a No. 12 " " " N 10 W 13 " "

64.43 a Beech 20 " "

80.00 Set post Cor. to Sect. 2, 3, 10 & 11, from which

87

Sgt R G E. 2nd Mer. Indiana
 chth a Beech 24 in. dia. bears S 77 W 28 lbs. dist. 5
 a Do. 36 " " " N 25 E 62 "
 Land broken, timber Beech, Sugar, Poplar
 Ash, Hickory &c. poor farming land
 January 15th 1807

North Between Sec^s. 33 & 34

16.50 a Creek 100 lbs. wide Course S. W.
 40.00 Set of. Sec. post, from which
 a Beech 20 in. dia. bears N 55 W 20 lbs. dist. 4
 a — 30 " " " S 34 E 44 " "
 60.83 a Beech 6 " "
 80.00 Set post, Cor. to Sec^s. 27, 28, 33 & 34, from which
 a Beech 12 in. dia. bears N 53 E 15 lbs. dist. 4
 a Do. 8 " " " S 67 W 24 " "
 the first half mile rather broken timber Beech
 Sugar Poplar Ash &c. middling farming Land
 the last half mile level and poor.

East On Pradom between Sec^s. 27 & 34

40.00 Set temp^y. of. Sec. post
 79.57 Intersected the N. & S. line 47 lbs. S. of post
 Land rolling timber Sugar, Poplar, Ash, Beech, &c.
 undergrowth Spice middling farming Land

West Corrected between Sec^s. 27 & 34

39.38 Set of. Sec. post, at average dist. from which
 a Beech 8 in. dia. bears N 11 W 12 lbs. dist. 4
 a Do. 7 " " " S 51 E 14 " "
 79.57 To Section Corner

North Between Sec^s. 27 & 28

29.64 an Elm 8 in. dia.
 30.50 a Branch 10 lbs. wide Course S. W.
 40.00 Set of. Sec. post, from which
 a Beech 12 in. dia. bears N 62 W 13 lbs. dist. 4

T_N-R₉E. 2nd. Mer. Indiana

ch². 1st

- a Beech 13 in. dia. bears South 11 lbs. dist.
 62.68 a Do. 24 " "
 80.00 Set post Cor. to Sect. 21, 22, 27 & 28, from which
 a Beech 10 in. dia. bears S 31 E 16 lbs. dist. &
 a Maple 20 " " " N 53 W 12 " "
 Land level timber Sance thick undergrowth poor
 farming Land

- East On Prandom between Sect. 22 & 27
 40.00 Set temp. q. Sec. post
 79.31 Intersected the N. & S. line 98 lbs. S. of post.
 Land flat and level - timber Beech Oak Poplar
 Maple Gum &c. poor farming Land

- West Corrected between Sect. 22 & 27
 39.65 Set q. Sec. post. at average dist. from which
 a S. Gum 9 in. dia. bears S 8 E 29 lbs. dist. &
 a Beech 15 " " " N 23 W 24 " "
 79.31 to Section Corner

- North Between Sect. 21 & 22
 21.31 a Beech 9 in. dia.
 40.00 Set q. Sec. post, from which
 a S. Gum 10 in. dia. bears S 8 E 15 lbs. dist. &
 a Beech 18 " " " S 65 W 12 " "
 60.92 a Do. 7 " "
 80.00 Set post^{cor.} to Sect. 15, 16, 21 & 22, from which
 a Beech 13 in. dia. bears N 58 E 6 lbs. dist. &
 a Do. 11 " " " S 86 W 30 " "
 Land and timber the same.

- East On Prandom between Sect. 15 & 22.
 18.00 a Branch 10 lbs. wide course N. W.
 40.00 Set temp. q. Sec. post.
 78.72 Intersected the N. & S. line 102 lbs. S. of post
 the first half mile rolling the last half mile

ch. 167 T^y N - R9 E. 2^d Mer. Indiana 89

Broken - timber Beech, Sugar, Poplar, Ash, &c. the first half mile middling farming Land

West Corrected between Sect. 15 & 22
 39.36 Set of Sec. post, at average dist. from which
 a W. Ash 8 in. dia. bears N 87 W 12 lbs. dist. &
 a Beech 6 " " " S 27 E 10 " "
 78.72 to Section Corner.

January 16th 1807.

North Between Sect. 15 & 16,
 4.50 a Branch 10 lbs. wide Course W.
 34.00 a Creek 60 " " " N. W.
 40.00 Set of Sec. post, from which
 a Beech 12 in. dia. bears S 55 W 17 lbs. dist. &
 a No. 12 " " " N 70 W 20 " "
 80.00 Set post Cor. to Sect. 9, 10, 15 & 16, from which
 a B. Ash 10 in. dia. bears S 45 E 15 lbs. dist. &
 a Beech 9 " " " N 12 W 37 " "
 Land broken timber same poor farming Land.

East On Prandon between Sect. 10 & 15
 40.00 Set temp. of Sec. post
 71.00 a Creek 50 lbs. wide Course S. W.
 78.60 Intersected the N. & S. line 80 lbs. N. of post
 Land and timber same.

West Corrected between Sect. 10 & 15
 39.80 Set of Sec. post, at average dist. from which
 a Beech 6 in. dia. bears N 27 E 23 lbs. dist. &
 a No. 20 " " " S 41 W 22 " "
 78.60 to Section Corner

North Between Sect. 9 & 10
 19.00 a Creek 100 lbs. wide Course W.
 23.61 a Beech 12 in. dia.

T₇N-R9E-2nd Mer. IndianaCh^l. l^h

40.00 Set of Sec. post, from which
 a — 15 in. dia. bears N45W12 l^h. dist. 4
 a No. 18 " " " S2E40 " "

80.00 Set post Cor. to Sect. 3, 4, 9, & 10, from which
 a Beech 11 in. dia. bears S8E18 l^h. dist. 4
 a No. 10 " " " N18W34 " "

Land rolling timber Beech Sugar Walnut Ash
 Cherry Poplar &c. good farming Land

East On Prandom between Sect. 3 & 10.

29.50 a Creek 70 l^h. wide course S.W.

40.00 Set temp^y. of Sec. post

79.96 Intersected the N. & S. line 1.83 l^h. N. of post
 Land rather broken timber Beech Sugar Ash &c.
 middling farming Land

West Corrected between Sect. 3 & 10

39.98 Set of Sec. post, at average dist. from which
 a Beech 15 in. dia. bears N40W15 l^h. dist. 4
 a No. 20 " " " S49E24 " "

79.96 to Section Corner

East On Prandom between Sect 2 & 11

31.00 a Brook 10 l^h. wide course S.

73.50 a Creek 50 " " " S.W.

79.60 Intersected the N. & S. line 2 l^h. S. of post
 Land broken timber same poor farming Land

West Corrected between Sect. 2 & 11

39.86 Set of Sec. post, at average dist. from which
 a Beech 24 in. dia. bears N52E12 l^h. dist. 4
 a No. 12 " " " S31W27 " "

79.10 to Section Corner

North Between Sect. 2 & 3

20.26 a Beech 20 in. dia.

T^h R^g E. 2^d. Mer. Indiana 91

ch^d. l^{ts}

- 40.00 Set of. Sec. post. from which
a Sugar 10 in. dia. bears S 77 E 6 l^{ts}. dist. 4
a Beech 11 " " " S 12 N 21 " "
- 24.82 a No. 8 " "
- 74.50 a Creek 70 l^{ts}. wide Course W.
- 78.38 Intersected the N. boundary 78 l^{ts}. N. of post.
Set post Cor. to Sect. 2 & 3, from which
a Beech 10 in. dia. bears S 18 N 2 l^{ts}. dist. 4
a No. 18 " " " N 39 E 12 " "
Land a little rolling timber Beech, Poplar, Sugar,
Ash &c. middling farming Land

North Between Sect. 3 & 4

- 24.28 a Beech 14 in. dia.
- 40.00 Set of. Sec. post. from which
a Beech 12 in. dia. bears S 24 E 16 l^{ts}. dist. 4
a No. 12 " " " N 60 W 11 " "
- 64.15 a Beech 10 " "
- 77.13 Intersected the N. boundary 1.91 l^{ts}. West of post.
Set post Cor. to Sect. 3 & 4, from which
a Beech 27 in. dia. bears S 87 E 15 l^{ts}. dist. 4
a No. 13 " " " S 85 W 31 " "
Land, rolling timber Beech, Sugar, Poplar, Ash &c
undergrowth Spice middling farming Land

January 17th 1807

North Between Sect. 32 & 33

- 24.30 a Beech 7 in. dia.
- 40.00 Set of. Sec. post. from which
a Maple 12 in. dia. bears S 77 W 24 l^{ts}. dist. 4
a Beech 10 " " " N 14 W 14 " "
- 61.80 a No. 8 " "
- 80.00 Set post Cor. to Sect. 28, 29, 33 & 32, from which
a Beech 8 in. dia. bears S 43 E 25 l^{ts}. dist. 4
a Hick^y. 12 " " " N 43 W 11 " "
Land level timber Beech, Hickory, Gum, Ash.

92

T. N. E. 2nd Mer. Indiana

ch. 114

Poplar Oak &c. thick undergrowth poor Land
for farming -

East On Random between Sec. 28 & 33.

40.00 Set temp. q. Sec. post

55.50 a Brook 15 lbs. wide Course North

78.84 Intersected the N. & S. line 31 lbs. N. of post.
the first half Mile Land & timber same, the last
good farming Land -

West Corrected between Sec. 28 & 33

39.42 Set q. Sec. post, at average dist. from which
a W. Ash 12 in. dia. bears N 68 E 22 lbs. dist. &
a Beech 10 " " " S 57 N 35 " "

78.84 to Section Corner

North Between Sec. 28 & 29

22.24 a Beech 10 in. dia.

40.00 Set q. Sec. post, from which

a Beech 12 in. dia. bears N 35 E 24 lbs. dist. &

a Do. 6 " " " S 9 N 11 " "

64.66 a Beech 7 " "

80.00 Set post Cor. to Sec. 20, 21, 28 & 29, from which

a Beech 10 in. dia. bears S 72 E 10 lbs. dist. &

a Sugar 15 " " " N 40 N 8 " "

Land a little rolling timber Beech, Sugar, Poplar,
Gum &c. undergrowth Spice and green briars
middling farming Land

East On Random between Sec. 21 & 28

40.00 Set temp. q. Sec. post.

79.10 Intersected the N. & S. line 8 1/4 lbs. N. of post

Land level timber same hardly middling
farming Land -

West Corrected between Sec. 21 & 28

93

T^y N R 9 E 2^d. Mer. Indiana

ch^d. lks

- 39.55 Set qf. Sec. post, at average dist. from which
 a W. Ash 12 in. dia. bears N 72 E 15 lks. dist. &
 a Beech 8 " " " S 79 W 20 " "
 79.10 to Section Corner

North Between Sect. 20 & 21

- 40.00 Set qf. Sec. post, from which
 a Sugar 13 in. dia. bears S 5 E 27 lks. dist. &
 a Beech 12 " " " N 66 W 6 " "
 74.00 a Creek 20 lks. wide Course W.
 80.00 Set post Cor. to Sect. 16, 17, 20 & 21. from which
 a Beech 12 in. dia. bears S 67 W 15 lks. dist. &
 a W. 20 " " " N 29 E 19 " "
 Land rather rolling timber Same good farming Land

East On Random between Sect. 16 & 21

- 35.00 a dry Creek 15 lks. wide Course S. W.
 40.00 Set temp. qf. Sec. post
 79.11 Intersected the N. & S. line 66 lks. N. of post.
 Land and timber Same -

West Connected between Sect. 16 & 21.

- 39.55 Set qf. Sec. post, at average dist. from which
 a Beech 24 in. dia. bears N 18 E 36 lks. dist. &
 a Ironwood 8 " " " S 8 W 9 " "
 79.11 to Section Corner

January 18th 1807

North Between Sect. 16 & 17.

- 38.50 a Creek 70 lks. wide Course S. W.
 40.00 Set qf. Sec. post, from which
 a Beech 9 in. dia. bears West 19 lks. dist. &
 a W. 6 " " " N 32 E 3 " "
 80.00 Set post Cor. to Sect. 8, 9, 16 & 17, from which
 a Beech 10 in. dia. bears S 39 W 15 lks. dist. &
 a W. 6 " " " N 17 W 31 " "

94

T. N. R. G. 2^d. Mer. Indiana

ch. l. h.

the first half mile rolling the last very broken
timber since the first half mile middling good
farming Land.

East On Prandon between Sec. 9 & 16

11.50 a Creek 70 lks. wide course S. W.

27.50 a Brook 10 " " " N. W.

40.00 Set temp. q. Sec. post

79.50 Intersected the N. & S. line 76 lks. N. of post
Land rolling timber since as last mile
middling farming Land -

West Corrected between Sec. 9 & 16

39.75 Set q. Sec. post, at averaged dist. from which
a Sugar 20 in. dia. bears N 12 E 14 lks. dist. &
a W. 18 " " " N 70 W 4 " "

79.50 to Section Corner

North Between Sec. 8 & 9.

28.87 a Beech 8 in. dia.

40.00 Set q. Sec. post. from which
a Hickory 9 in. dia. bears N 8 E 15 lks. dist. &
a W. 14 " " " South 12 " "

80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
a Sugar 13 in. dia. bears N 14 W 7 lks. dist. &
a Beech 8 " " " S 5 E 39 " "

the first half mile broken the last level timber
same middling farming Land.

East On Prandon between Sec. 4 & 9

40.00 Set temp. q. Sec. post.

79.89 Intersected the N. & S. line 1.08 lks. N. of post
Land level timber same as on the last mile
middling farming Land

West Corrected between Sec. 4 & 9

95

T. N. R. E. 2nd Mer. Indiana
ch. lks

39. 94 Set of. Sec. post at average dist. from which
 a Beech 7 in. dia. bears N 22 W 3 lks. dist. &
 a Poplar 11 " " " S 13 E 15 " "
 79. 89 to Section Corner

January 19th 1807.

North Between Secs. 31 & 32.

21. 94 a Beech 18 in. dia.

40. 00 Set of. Sec. post, from which
 a Beech 20 in. dia. bears S 34 W 31 lks. dist. &
 a Do. 17 " " " N 4 E 16 " "

64. 63 a Beech 7 " "

80. 00 Set post Cor. to Secs. 29, 30 & 31 32, from which
 a Beech 15 in. dia. bears S 36 W 20 lks. dist. &
 a Gum 20 " " " East 12 " "
 the first half mile rolling and very bushy the
 last half mile level timber Beech, Poplar, Gum,
 undergrowth Spice & green briars rather poor-
 farming Land.

East On Randon between Secs. 29 & 32.

25. 50 a Brook 10 lks. wide Course S.

40. 00 Set temp. of. Sec. post.

79. 64 Intersected the N. & S. line 20 lks. S. of post.
 Land rather broken timber Beech Sugar Poplar
 Ash &c. undergrowth Spice and green briars &c.
 middling farming Land

West Connected between Secs. 29 & 32

39. 82 Set of. Sec. post, at average dist. from which
 a Beech 15 in. dia. bears N 1 E 9 lks. dist. &
 a Do. 14 " " " S 30 E 29 " "

79. 64 to Section Corner

West Between Secs. 30 & 31

21. 28 a Maple 14 in. dia.

T^h N R 9 E. 2^d Mer. Indianach. P. 16th

- 40.00 Set of Sec. post, from which
 a Gum 20 in. dia. bears S 32 E 11 lks. dist. &
 a Beech 14 " " " N 2 E 23 " "
- 71.94 Intersected the N. boundary 134 lks. S. of post
 Set post Cor. to Sect. 30 & 31. from which
 a Beech 18 in. dia. bears S 83 E 24 lks. dist. &
 a No. 8 " " " S 88 W 16 " "
- Land level timber same poor farming Land -

North Between Sect. 29 & 30.

- 24.30 a S. Gum 18 in. dia.
- 40.00 Set of Sec. post, from which
 a Beech 18 in. dia. bears S 50 W 17 lks. dist. &
 a No. 30 " " " N 22 E 22 " "
- 61.27 a Beech 9 " "
- 80.00 Set post Cor. to Sect. 19, 20, 29 & 30, from which
 a Beech 7 in. dia. bears S 88 E 17 lks. dist. &
 a No. 8 " " " S 88 W 19 " "
- Land level timber same as on the last mile -
 middling farming land -

West Between Sect. 19 & 30.

- 40.00 Set of Sec. post, from which
 a Beech 12 in. dia. bears N 17 W 3 lks. dist. &
 a No. 12 " " " S 45 W 29 " "
- 59.27 a Beech 10 " "
- 71.66 Intersected the N. boundary 115 lks. S. of post
 Set post Cor. to Sect. 19 & 30, from which
 a Beech 12 in. dia. bears S 76 E 24 lks. dist. &
 a No. 27 " " " N 17 E 32 " "
- Land and timber same.

East On Prandom between Sect. 20 & 29

- 40.00 Set temp. of Sec. post.
- 80.19 Intersected the N. & S. line 105 lks. South of post
 Land & timber same as last mile

T. N. R. Co. 2nd Mer. Indiana 97

ch. l. l. l.

January 28th 1807.

West Corrected between Sect. 20 & 29

40.08 Set of. Sec. post, at average dist. from which
a Beech 8 in. dia. bears N 24 E 5 lks. dist. &
a No. 15 " " " S 60 W 20 " "

80.19 to Section Corner

North Between Sect. 19 & 20.

25.48 a Beech 18 in. dia.

40.00 Set of. Sec. post, from which
a Sugar 10 in. dia. bears N 6 E 14 lks. dist. &
a Beech 10 " " " S 76 E 3 " "

61.84 a Sugar 12 " "

76.50 a Brook 20 lks. wide Course N.

80.00 Set post cor. to Sect. 17, 18, 19 & 20, from which
a Beech 20 in. dia. bears N 43 E 1 lks. dist. &
a No. 5 " " " S 27 E 12 " "
the first half mile level the last Broken timber
Beech, Sugar, Poplar, Ash, Gum, &c. undergrowth
Spice-middling farming Land.

East On Prandom between Sect. 17 & 20

31.50 a Creek 20 lks. wide Course S.

74.00 a No. 20 " " " N. W.

79.18 Intersected the N. & S. line 97 lks. S. of post.

Land rolling timber same good farming Land

West Corrected between Sect. 17 & 20

37.59 Set of. Sec. post, at average dist. from which
a Beech 6 in. dia. bears S 48 W 11 lks. dist. &
a No. 18 " " " N 3 W 36 " "

79.18 to Section Corner

West Between Sect. 18 & 19

00.15 a Creek 100 lks. wide Course S. W.

8.00 a Brook 20 " " " S.

98

T^y N R 9 E 2nd Mer. Indianach^d. lks

- 20.25 a Beech 13 in. dia.
 40.00 Set q^r. Sec. post, from which
 a Beech 12 in. dia. bears N 81 W 23 lks. dist. &
 a No. 13 " " " S 53 E 22 " "
 70.80 Intersected the West boundary 107 lks. S. of post
 Set post Cor. to Sect. 18 & 19, from which
 a Beech 12 in. dia. bears N 73 E 12 lks. dist. &
 a Sugar 15 " " " N 55 W 15 " "
 Land and timber Same -

North Between Sect. 17 & 18

- 00.20 a Creek 100 lks. wide course S. W.
 19.92 a Beech 20 in. dia.
 40.00 Set q^r. Sec. post, from which
 a Beech 9 in. dia. bears S 30 E 25 lks. dist. &
 a No. 6 " " " N 51 W 8 " "
 80.00 Set post Cor. to Sect. 7, 8, 17 & 18, from which
 a Beech 13 in. dia. bears N 82 E 30 lks. dist. &
 a No. 30 " " " S 37 W 9 " "
 Land part rolling and part broken timber same
 middling farming Land -

West Between Sect. 7 & 18

- 1.00 a Creek 20 lks. wide course S. W.
 25.91 a Beech 9 in. dia.
 40.00 Set q^r. Sec. post, from which
 a Beech 20 in. dia. bears N 8 E 29 lks. dist. &
 a No. 13 " " " S 64 W 28 " "
 63.93 a Beech 12 " "
 71.11 Intersected the W. boundary 54 lks. S. of post.
 Set post Cor. to Sect. 7 & 18, from which
 a Beech 14 in. dia. bears N 39 W 33 lks. dist. &
 a No. 30 " " " S 83 E 5 " "
 Land level timber Beech Poplar, Ash, Poplar, Gum,
 Oak Elm &c. undergrowth Spice grape vines &c.
 poor farming Land -

S. N. R. G. 2nd Mer. Indiana 99

ch. lks

East On Random between Sec. 8 & 17

40.00 Set temp. of Sec. post.

79.54 Intersected the N. & S. line 71 lks. S. of post.

Land broken timber Beech, Poplar, Ash, Sugar & poor farming Land.

January 21st 1807

West Corrected between Sec. 8 & 17

39.77 Set of Sec. post, at average dist. from which
a Sugar 10 in. dia. bears N 32 E 9 lks. dist. &
a Beech 9 " " " S 77 W 9 " "

79.54 to Section Corner

North Between Sec. 7 & 8,

2.00 a Brook 20 lks. wide course S. W.

24.50 a Beech 5 in. dia.

40.00 Set of Sec. post, from which
a Beech 10 in. dia. bears S 60 W 20 lks. dist. &
a No. 10 " " " S 73 E 25 " "

65.82 a Poplar 15 " "

81.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which
a Beech 15 in. dia. bears N 74 E 13 lks. dist. &
a No. 12 " " " S 75 W 34 " "

Land part level & part rolling - timber Beech, Sugar, Poplar, Gum, Ash, Oak, Maple &c. not much undergrowth Spice &c. middling farming Land.

East On Random between Sec. 5 & 8

35.50 a Branch 20 lks. wide course S.

40.00 Set temp. of Sec. post.

79.80 Intersected the N. & S. line 111 lks. S. of post.

Land and timber same.

West Corrected between Sec. 5 & 8

39.96 Set of Sec. post, at average dist. from which
a Beech 7 in. dia. bears N 84 E 26 lks. dist. &

T. N. R. 9 E. 2nd Mer. Indiana

ch. 2. 1/2

a Beech 7 in. dia. bears S 78 N 25 lbs. dist. &
79. 80 to Section Corner

West Between Sect. 6 & 7.

22. 97 a Beech 18 in. dia.

40. 00 Set of. Sec. post. from which
a Poplar 18 in. dia. bears N 73 E 7 lbs. dist. &
a S. Gum 12 " " " S 73 N 7 " "

62. 66 a Maple 17 " "

71. 16 Intersected the W. boundary 4 lbs. N. of post.
Set post cor. to Sect. 6 & 7. from which
a Beech 12 in. dia. bears South 18 lbs. dist. &
a No. 12 " " " N 16 W 14 " "
Land level timber same not very good Land
for farming

North Between Sect. 5 & 6.

19. 28 a Beech 5 in. dia.

40. 00 Set of. Sec. post. from which
a Beech 36 in. dia. bears N 42 E 29 lbs. dist. &
a No. 10 " " " S 80 W 12 " "

61. 56 a Beech 15 " "

79. 28 Intersected the N. boundary 4 1/3 lbs. W. of post.
Set post Cor. to Sect. 5, & 6, from which
a S. Gum 20 in. dia. bears S 67 E 10 lbs. dist. &
a Beech 14 " " " S 85 W 31 " "
Land level timber same poor farming Land

North Between Sect. 4 & 5.

25. 00 a Beech 15 in. dia.

40. 00 Set of. Sec. post. from which
a Beech 11 in. dia. bears S 37 W 15 lbs. dist. &
a No. 8 " " " S 86 E 16 " "

63. 16 a Beech 12 " "

77. 23 Intersected the N. boundary 3 3/8 lbs. W. of post.
Set post. Cor. to Sect. 4 & 5, from which

101

T. N. R. & Co. D. Mer. Indiana

ch. 1. 1/2

a Beech 8 in. dia. bears S 37 20 E. dist. 4

a Sugar 8 " " " N 13 11 28 "

Land rolling timber Beech Sugar Poplar Ash &
good farming Land.

Note - The variation of the Compass was
5.00. E. on the N & S line - and 6.00. E. on the
East West line

*Surveyed By
Samuel Lipson,
Deputy Surveyor*

Comp.

I Certify that the foregoing transcript of field notes of
Township N. 7 North, Range N. 9 East D. Mer. Indiana
has been compared with the original notes in this
Office, and found to be correct.

*Surveyor General's Office
Cincinnati, Oct. 24. 1842*

*William Johnston
Sur. Genl.*